

Rm:	Age:	2000	safety v	0200	
Wt:	Precautions:	2100		0300	
Allergies:	Diet:	2200		0400	clear pumps <input type="checkbox"/>
Dx:		2300		0500	
Hx:	LDAs:	0000	clear pumps <input type="checkbox"/>	0600	
		0100		0700	clear pumps <input type="checkbox"/> new TF set <input type="checkbox"/>
Last tubing change:	PRNs: (reassess!)				
Last cap/drsg change:					Note <input type="checkbox"/>

Rm:	Age:	2000	safety v	0200	
Wt:	Precautions:	2100		0300	
Allergies:	Diet:	2200		0400	clear pumps <input type="checkbox"/>
Dx:		2300		0500	
Hx:	LDAs:	0000	clear pumps <input type="checkbox"/>	0600	
		0100		0700	clear pumps <input type="checkbox"/> new TF set <input type="checkbox"/>
Last tubing change:	PRNs: (reassess!)				
Last cap/drsg change:					Note <input type="checkbox"/>

Rm:	Age:	2000	safety v	0200	
Wt:	Precautions:	2100		0300	
Allergies:	Diet:	2200		0400	clear pumps <input type="checkbox"/>
Dx:		2300		0500	
Hx:	LDAs:	0000	clear pumps <input type="checkbox"/>	0600	clear pumps <input type="checkbox"/>
		0100		0700	new TF set <input type="checkbox"/>
Last tubing change:	PRNs: (reassess!)				
Last cap/drsg change:					Note <input type="checkbox"/>

Rm:	Age:	2000	safety v	0200	
Wt:	Precautions:	2100		0300	
Allergies:	Diet:	2200		0400	clear pumps <input type="checkbox"/>
Dx:		2300		0500	
Hx:	LDAs:	0000	clear pumps <input type="checkbox"/>	0600	clear pumps <input type="checkbox"/>
		0100		0700	new TF set <input type="checkbox"/>
Last tubing change:	PRNs: (reassess!)				
Last cap/drsg change:					Note <input type="checkbox"/>

